

Division of Purchases One Capitol Hill Providence, RI 02908

REQUEST FOR QUOTE (RFQ) – BID# 7549491

2015-CH-041 1R IMPROVEMENTS TO ROUTE 37

SUBMISSION DEADLINE: Wednesday, April 29, 2015 at 03:00 PM (ET)

PRE-BID CONFERENCE: NO
YES
Mandatory: NO
YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its
designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid
conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid
conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in
disqualification of the vendor's bid proposal as non-responsive to the solicitation.
Lisattiel
I in a selle
Buyer Name: Lisa Hill
Title: Chief Buyer
QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to
the Department of Transportation in writing through its website at http://www.dot.ri.gov/contracting/bids by accessing the
questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted
questions will also be posted under this link, phone calls will not be accepted.
questions will also be posted under this link, phone cans will not be accepted.
CUDETTY DECLIEDED YES
SURETY REQUIRED: YES
BOND REQUIRED: YES
DISK BASED BID: NO
YES: See attached Disk Based Bidding Information
23 125. See didented Disk Dused Didding information
NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers



State of Rhode Island Department of Administration Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.

To comply with this requirement, <u>in addition to</u> the Quest Lite compatible electronic copy and one hard copy, bid proposals for <u>highway and bridge public works projects</u> must also include a duplicate original of the Quest Lite compatible electronic copy on a <u>read-only</u> CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 et seq.

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

State of Rhode Island and Providence Plantations Department of Transportation

Notice to Contractors Special Provisions Proposal Contract Agreement Contract Bond

for the Performance of

Rhode Island Contract Number: 2015-CH-041				
Rhode Island Federal-Aid\State-Aid Project Numbers:			NHS-0037(009), NHSG-0037(010)	
Project:	1R Improvements	s to Route 37		
Limits:	Natick Avenue to	Post Road (Rte. 1)		
City/Town:	Cranston, Warwi	ck		
County:	PROVIDENCE, I	KENT		
	Submitted By: Address:			
	Name of Surety: Total Bid:			

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.
- * Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on April 29, 2015 at 3:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: This project, Rhode Island Contract No. 2015-CH-041, Federal Aid Project Nos. NHS-0037(009) & NHSG-0037(010) shall consist of roadway resurfacing on Route 37 from Natick Avenue to Post Road (Rte, 1) in the cities of Cranston and Warwick, Counties of Providence and Kent. The work will include, but not be limited to, micromilling, the placing of an asphalt friction course, new asphalt surface course, cleaning and sweeping pavement, installation of pavement markings, replacing sections of guardrail, cleaning existing drainage pipes, and structures, maintenance and protection of traffic, minor drainage work, isolated curb installation, micromilling and repaving twenty bridges, and all incidentals, complete in place and accepted, to complete the work of the contract to the satisfaction of the Engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise

Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or

Contract Goal, of not less than 15.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or
suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate
every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in
contract payments by the amount determined by multiplying the awarded contract value by the established DBE
percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will
not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the
Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after April 15, 2015 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual, Only complete bid packages will be issued.

Propsective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at http://www.dot.ri,gov/contracting/bids/ by accessing the Ouestions & Answers Menu located within the "Contracting", then "Contract Opportunities" link, Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call:

1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Date:

4/2/2015

Seq No.	Item Code	Description	Overtity VIM
001		REMOVE AND DISPOSE CONCRETE CURB	Quantity UM 3,000.00 LF
002		REMOVE AND DISPOSE SIDEWALKS	126.00 SY
003	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	206.00 SY
004	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	3,700.00 LF
005	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	25.00 EACH
006	201.0430	REMOVE AND DISPOSE CONCRETE MEDIAN BARRIER	50.00 LF
007	201.0431	REMOVE AND DISPOSE CONCRETE MEDIAN MARKER	3,970.00 SY
008	201.0450	REMOVE AND STOCKPILE ON SITE GRANITE CURB	16.00 LF
009	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	180.00 EACH
010	201.9901	REMOVE AND DISPOSE STEEL BEAM GUARDRAIL	4,600.00 LF
011	201.9902	REMOVE AND DISPOSE GUARDRAIL STEEL BEAM POST	10.00 EACH
012	201.9903	REMOVE AND DISPOSE EXISTING LOOP AND JUNCTION BOX	3.00 EACH
013	202.0100	EARTH EXCAVATION	50.00 CY
014	204.0100	TRIMMING AND FINE GRADING	4,775.00 SY
015	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	34,000.00 LF
016	206.9901	INLET SEDIMENT CONTROL DEVICE	385.00 EACH
017	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00 LS
018	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	11,575.00 LF
019	401.2000	CLASS 12.5 HMA	1,200.00 TON
020	401.3000	CLASS 9.5 HMA	3,000.00 TON
021	402.9901	FRICTION COURSE	26,055.00 TON
022	403.0300	ASPHALT EMULSION TACK COAT	254,640.00 SY
023	414.0100	WARM MIX ADDITIVE	30,255.00 EACH
024	415.9901	INTELLIGENT COMPACTION FOR HMA	1.00 LS
025	601.0300	CLASS A PORTLAND CEMENT CONCRETE	125.00 CY
026	702.0516	FRAME AND GRATE, HIGH CAPACITY, STANDARD 6.3.4	25.00 EACH
027	702.0533	PRECAST CONCRETE APRON STONE 38" STANDARD 7.1.8	10.00 EACH
028	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	80.00 EACH
029	704.0300	RECONSTRUCT CATCH BASIN/VERTICAL WALLS	25.00 VLF
030	704.9901	RECONSTRUCT AND ADJUST CATCH BASIN	7.00 EACH
031	707.1900	ADJUST FRAME & COVER TO GRADE	10.00 EACH
032	707.2000	ADJUST FRAME AND GRATE TO GRADE	335.00 EACH

Date: 4/2/2015

Seq No.	Item Code	Description	Quantity UM
033	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	21,000.00 LF
034	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	380.00 EACH
035	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	20.00 EACH
S036	709.9901	INSPECTION, GPS AND DOCUMENTATION - PIPE	21,000.00 LF
S037	709.9902	INSPECTION, GPS AND DOCUMENTATION - STRUCTURE	341.00 EACH
S038	709.9903	INSPECTION, GPS AND DOCUMENTATION - OUTFALL	115.00 EACH
039	709.9904	SEDIMENT REMOVAL FROM DRAINAGE OUTFALLS WITHIN THE STATE FARM CEMETERY BOUNDARIES	28.00 SY
040	711.0110	3" PAVED WATERWAY CLASS I-1 STANDARD 8.4.0	40.00 SY
041	808.9901	CAST-IN -PLACE CONCRETE BARRIER	7.00 CY
042	817.9901	REPAIRS TO STRUCTURE CONCRETE MASONRY (PATCHING MORTAR)	100.00 SF
043	818.9901	PORTLAND CEMENT CONCRETE DECK REPAIRS (PARTIAL DEPTH REMOVAL)	100,000.00 EACH
044	820.0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	134,740.00 SF
045	821.1690	SAW & SEALING JOINTS IN BITUMINOUS CONCRETE PAVEMENT	2,700.00 LF
046	835.9901	CLEAN AND FLUSH BRIDGE SCUPPERS	15.00 EACH
047	839.0100	PARTIAL-DEPTH REMOVAL AND DISPOSAL OF BITUMINOUS PAVEMENT FROM CONCRETE BRIDGE DECKS	19,000.00 SY
S048	901.0101	GUARDRAIL STEEL BEAM SINGLE FACE EARTH AND ASPHALT	3,000.00 LF
S049	901.0111	GUARDRAIL STEEL BEAM DOUBLE FACE EARTH AND ASPHALT	240.00 LF
S050	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	5.00 EACH
S051	901.0161	GUARDRAIL STEEL BEAM POST (IN EARTH AND ASPHALT)	10.00 EACH
S052	901.0165	STEEL BEAM GUARDRAIL SECTION (12.5 FT. BY 12.0 INCHES)	368.00 EACH
S053	901.0191	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION STANDARD 34.3.4	5.00 EACH
S054	901.0198	GUARDRAIL END TREATMENT, NON-ENERGY ABSORBING TERMINAL	13.00 EACH
S055	901.9901	MEDIAN DIVIDER GUARDRAIL WITH TRANSITION	1.00 EACH
S056	901.9902	STEEL THRIE BEAM GUARDRAIL	25.00 LF
S057	903.9901	TRAFFIC PVC JUNCTION BOX AND WOODEN MOUNTING POST	3.00 EACH
058	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	29.00 CY
059	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	2.00 LF
060	906.0120	GRANITE WHEELCHAIR RAMP CURB STANDARDS 7.3.3, 43.3.0 AND 43.3.1	2.00 EACH
061	906,0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	5.00 EACH

4/2/2015

Item List

Seq No.	Item Code	Description	Quantity UM
062	906.0210	CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0	1,000.00 LF
063	906.0211	CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0	32.00 LF
064	906.0230	CEMENT CONCRETE SLOPE FACE CURB PRECAST STRAIGHT STANDARD 7.2.0	2,200.00 LF
065	906.0250	PRECAST CONCRETE WHEELCHAIR RAMP CURB STANDARDS 7.1.3, 43.3.0 AND 43.3.1	3.00 EACH
066	906.0260	PRECAST CONCRETE RAMP STONE 12-INCH STRAIGHT STANDARD 7.1.9	4.00 EACH
067	906.0270	PRECAST CONCRETE TRANSITION CURB STANDARD 7.2.2	7.00 EACH
068	906.0271	PRECAST CONCRETE SLOPE FACE TRANSITION CURB STANDARD 7.2.1	2.00 EACH
069	906.0602	BITUMINOUS BERM STANDARD 7.5.1	15,615.00 LF
070	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	114.00 LF
071	909.3010	PRECAST MEDIAN BARRIER DOUBLE-FACED STANDARD 40.1.0	90.00 LF
072	909.3040	PRECAST MEDIAN BARRIER WITH LIGHT UNIT STANDARD 40.4.0	1.00 EACH
073	914.5010	FLAGPERSONS	4,300.00 MHRS
074	914.5020	FLAGPERSONS - OVERTIME	860.00 MHRS
075	920.0040	DUMPED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	110.00 SY
076	920.0135	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	110.00 SY
077	920.0200	FILTER FABRIC FOR RIP-RAP	110.00 SY
078	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	2,400.00 SF
079	923.0105	DRUM BARRICADE STANDARD 26.2.0	10,000.00 BDAY
080	923.0120	PLASTIC PIPE BARRICADE STANDARD 26,3.0	20.00 EACH
081	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	350.00 EACH
082	924.0113	ADVANCE WARNING ARROW PANEL	200.00 PDAY
083	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	400.00 PDAY
084	928.0800	TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD	300.00 PDAY
085	929.0110	FIELD OFFICE	15.00 PMO
086	931.0110	CLEANING AND SWEEPING PAVEMENT	2,310.00 HSY
087	932.0100	CUTTING AND MATCHING ASPHALT	4,806.00 LF
088	932.0210	FULL DEPTH SAWCUT OF BITUMINOUS PAVEMENT AND RIGID BASE	6,970.00 LF
089	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	223,110.00 SY
090	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00 LS

Date:

4/2/2015

Seq No.	Item Code	Description	Quantity UM
091	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00 LS
092	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	80.00 SF
093	943.0200	TRAINEE MAN-HOURS	3,000.00 MHRS
094	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	4,625.00 SY
S095	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	4,625.00 SY
096	T05.1030	ADJUST HANDHOLE TO GRADE	46.00 EACH
S097	T06.9901	1" FLEXIBLE METALLIC LIQUID TIGHT CONDUIT	40.00 LF
S098	T08.9901	REMOVE AND RESET LIGHT STANDARD	1.00 EACH
S099	T12.9992	REFURBISH EXISTING HAR BEACON	4.00 EACH
S100	T13.9901	TRAFFIC DETECTOR - LOOP (DRY CUT)	1,158.00 LF
S101	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	2,374.00 SF
102	T15.0200	REMOVE AND RELOCATE DIRECTIONAL REGULATORY AND WARNING SIGN	1.00 EACH
S103	T16.0100	GROUND MOUNTED PRIMARY DIRECTIONAL SIGN PANELS EXTRUDED ALUMINUM	360.00 SF
S104	T16.0300	GROUND MOUNTED PRIMARY DIRECTIONAL SIGN POST-STEEL BREAKAWAY	8.00 EACH
S105	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	62,560.00 LF
		12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	17,282.00 LF
S107	T20.0106	6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	50,150.00 LF
S108	T20.0900	BI-DIRECTIONAL CONTROL DEVICE STANDARD 20.2.0	17.00 EACH
S109	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	600.00 LF
S110	T20,1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	62,560.00 LF
S111	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	17,282.00 LF
S112	T20.1206	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	50,150.00 LF
S113	T20.1314	TEMPORARY WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	136.00 EACH
S114	T20,2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	62,560.00 LF
S115	T20,2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	17,282.00 LF
S116	T20.2016	6 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	50,150.00 LF
S117	T20.2024	EPOXY RESIN PAVEMENT MARKING WORD "STOP"	2.00 EACH
S118	T20.2040	EPOXY RESIN PAVEMENT MARKING - LANE DROP ARROW	3.00 EACH

Item List

Date:

4/2/2015


Seq	Item	•	
No.	Code	Description	Quantity UM
S119	T20.2042	EPOXY RESIN PAVEMENT MARKING - YIELD LINE SYMBOL	136.00 EACH
S120	T20.9951	EPOXY RESIN PAVEMENT MARKING WORDS "30 MPH"	2.00 EACH
S121	T20.9952	EPOXY RESIN PAVEMENT MARKINGS - ROUTE MARKER AND LEGEND	2.00 EACH
S122	T20.9990	6 INCH LINEAR DELINEATION SYSTEM - YELLOW	180.00 EACH
S123	T20.9991	6 INCH LINEAR DELINEATION SYSTEM - WHITE	220.00 EACH


* THIS IS A DISK-BASED BID *

ELECTRONIC BIDDING PROCEDURE NOTICE

ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID PREPARATION SOFTWARE PACKAGE

Bidders MUST register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.





Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software Office Hours: 8:00 AM – 4:00 PM

**Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI

Dept of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening. Minimum computer hardware and operating system requirements are listed here. Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.

CONTACT:

RIDOT CONTRACTS & SPECIFICATIONS

Rm. 108, Two Capitol Hill, Providence, RI 02903

Phone: 401-222-2495

Hours: Mon - Fri, 8:00AM - 4:00PM

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids

Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: http://www.purchasing.ri.gov/RIVIP/BidSearch.asp

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software <u>MUST</u> be prepared using <u>Quest Lite Version 040408 (2.8.4)</u>. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version <u>040408 (2.8.4)</u> will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, UNLESS a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, than the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

- 1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
- 2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2 8.3) then the upgrade installation is sufficient <u>unless</u> an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
- 3 For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation does not need to be performed after the full installation is completed.)
- 4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
- 5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
- 6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.

Installation Instructions - Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.83, and a previous upgrade has not been installed.

- 1. Close Quest Lite before attempting the installation.
- 2. Using the project CD, double-click on the "Upgrade Only" option provided on the Start page.
- 3. When prompted for a password, enter "ridot".
- 4. Follow the instructions provided in the installation wizard to complete the installation
- 5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions - Complete Installation

A complete Installation of the software is required only if Quest Lite is:

- 1. Not installed on the computer/laptop; or
- 2. The installed version of Quest Lite is older than 2 8.3, i.e. 2.8.2 or under; or
- 3 The 2.8 3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

- 1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Ouest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19-25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
- 2. Using the project CD, double-click on the "Complete Installation" option provided on the Start page.
- 3. When prompted for a password, enter "ridot".
- 4. Follow the instructions provided in the installation wizard to complete the installation.
- 5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.